

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously presented) A micro controller, comprising a CPU, performing processing in accordance with a program,

said micro controller further comprising:

a memory, storing: compressed codes, resulting from the conversion of original codes into variable length codes,

an address conversion information, specifying the head address of each group of grouped compressed codes of variable lengths; and

a compressed code type information, specifying, according to each group, the code length of each compressed code of variable lengths contained in each group; and

a compressed code processing part, specifying, from a code address output by the CPU, an address conversion information and compressed code type information to be referred, using the specified address conversion information and the compressed code type information to determine the corresponding compressed code address, and reading the corresponding compressed code.

2. (Original) The micro controller as set forth in Claim 1, wherein the memory furthermore stores dictionary information for decompressing compressed codes into the original codes and

the compressed code processing part refers the dictionary information to decompress the compressed code, which has been read, into the original code.

3. (Original) The micro controller as set forth in Claim 1, wherein  
said compressed code processing part stores information for identifying the  
area in said memory in which compressed codes are stored, the area in said memory  
in which the address conversion information are stored, and the area in which the  
compressed code type information are stored.

4. (Previously presented) The micro controller as set forth in Claim 3,  
wherein  
said memory stores said address conversion information in the order of blocks  
of original codes, and  
to store said compressed code type information in the order of the original  
codes.

5. (Original) The micro controller as set forth in Claim 2, wherein  
said dictionary information are stored in areas that are divided according to  
the code lengths of the corresponding compressed codes, and in each area, said  
dictionary information are stored in the order of the codes of said corresponding  
compressed codes.

6. (Original) The micro controller as set forth in Claim 5, wherein  
said compressed code processing part specifies, from the compressed code  
type information, the area in which the dictionary information to be referred is  
stored, and, based on the compressed code, specifies the dictionary information to be  
referred that is contained in the specified area.

7. (Original) The micro controller as set forth in Claim 1, wherein  
said compressed code processing part reads, from said memory and prior to  
reading a compressed code, a compressed code set, having a predetermined size and  
containing the compressed code to be read,  
said micro controller is equipped with areas, respectively storing temporarily  
the address conversion information, the compressed code type information, and the  
compressed code set that were used just immediately before,  
to use the address conversion information and the compressed code type  
information that are stored temporarily in said areas in a case where the code  
address output by the CPU is contained in the same block as the compressed code  
that was read just immediately before, and  
to read the compressed code from the compressed code set that is stored  
temporarily in said area in a case where the compressed code corresponding to the  
code address output by the CPU is contained in the compressed code set that was  
read just immediately before.

8. (Previously presented) The micro controller as set forth in Claim 1,  
wherein  
said compressed code contains the same program as the original code.